

113, 185, 243, 311

Siberia RR1

[For a discussion of the Soviet agricultural program announced in the spring of 1954 to add some 70 million acres to the area of grain cultivation in western Siberia and northern Kazakhstan, see 75: Jackson, R1 Soviet Union, entire source.]

133 "golets"), which means the same as "baldy" or "bald-head." These goltsy, which appear in Transbaykal only in individual instances, are extremely typical for all mountain areas in the Far Eastern region.


101
311 Culturally, too, Transbaykal has to a remarkable degree a transitional character. The steppe regions, the steppe valleys, and the steppe islands have since time immemorial been the seat of nomadic cattle-breeders, in this case the Buryat, an intelligent and energetic tribe of Mongols, who have kept themselves on the steppes which suit their nature and culture. It is interesting to determine how exactly their expansion even today coincides with their natural landscape. The Buryat penetrate only rarely into the forest areas; more often they leave these to the forest peoples of the Tungus, who even today live there still as hunters and reindeer breeders. The Buryat were the first people to give successful resistance for a time to the invading Cossacks, but as nomads they later had to clear the field for the Russians who were seeping in slowly and pursuing agriculture. Buryat helped themselves, however, by adjusting: they often went over to agriculture themselves, and they appropriated for themselves the advantages of Russian culture. Thus, even though they were penetrated by Russians, they were able to retain their original regions and to attain a cultural level which raised them above all their Mongolian tribal brothers on the other side of the Soviet Russian border. Because of the invasion by the Russians, there came into existence here a cultivated landscape which was inserted between the completely forested areas in the north and the pure steppes in the south; but corresponding to the spacious transition region, this cultivated landscape did not appear in a closed-off zone, but in culture islands. In extensive regions in the south near the border, the Buryat even today still lead their old nomadic, cattle-breeding life.

132 The fact that the bulk of the rainfall occurs in the summer is favorable for agriculture. Chita, lying in the middle of the land, has an annual rainfall of only 319 millimeters. However, 289 millimeters of this falls during the vegetation period so that a relatively sufficient

• [243] amount of dampness is available, in conjunction with continental warmth, to make possible a very high yield of summer wheat. This makes Transbaykal an important wheat producer and the principal supplier for all of east Siberia.

133 The Amur country is adjacent to Transbaykal, without a clear border, north of the northern arc of the Amur. In its large morphological traits it is no less varied than Transbaykal, though the differences in

Sketch Map:



243

- 1,000 hectares of wheat
- 100 hectares of corn